### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



### R317CAF DULT SCABLES MITES

MOUTH PARTS, PEDICELS & SUCKERS







MAR 2 8 1962

CAR - PREP.

(Comparative Features)

### SARCOPTES

- BODY Rounded, short, backward projecting spines on dorsum
- MOUTHPARTS Blunt
- PEDICELS (LEG STALKS) Long and unjointedthird and fourth pair of legs do not usually extend beyond rim of body
- SUCKER DISKS On legs 1, 2 of female; legs 1, 2, 4 of male
- MAXIMUM SIZE Female, about 0.50mm.; male, about 0.30mm

### CHORIOPTES

- BODY-Oval, compressed laterally
- MOUTHPARTS Blunt
- PEDICELS (LEG STALKS) Short and unjointedthird pair of legs extend from the indentation in the body wall
- SUCKER DISKS On legs 1,2,4 of female; legs 1,2, 3, 4 of male
- MAXIMUM SIZE Female, about 0.40mm.; male, about 0.35 mm

### **PSOROPTES**

- BODY Oval
- MOUTHPARTS Sharp, piercing, and elongated
- PEDICELS (LEG STALKS) Long and jointed
- SUCKER DISKS On legs 1, 2, 4 of female; legs 1, 2, 3 of male
- MAXIMUM SIZE Female, about 0.80mm.; male, about 0.70mm


CA 5-1 MAY 1961
Animal Disease Eradication Division
Agricultural Research Service
U.S. DEPARTMENT OF AGRICULTURE



view of female. Right, ventral view of Psoroptes equi (Hering). Left, dorsal


# COMMON SCABIES MITE

LUS DENTILIS




tral view of female. Right, ventral view Chorioptes bovis (Gerlach). Left, venof male.


MANGE MITE



sal view of female. Right, ventral view Sarcoptes scabiei (Degeer). Left, dorof male.



MANGE MITE



Psorergates simplex (Tyrell). Left, female. P. ovis, palps, chelicera and tarsus I, right.



Demodex. Ventral view of female

# SHEEP ITCH MITE

## FOLLICLE MITE



Cnemido coptes mutans. Dorsal view of female.

Left, dorsal view of female. Right,

ventral view of female.

CHICKEN MITE

Dermanyssus gallinae (Degeer).

Otodectes cynotis (Hering). Left, dor-

sal view of male. Right, ventral view of female.

tral view of female with morphological Haemolaelaps glasgoui (Ewing). Ven-

characters labeled.

COMMON RODENT MITE

EAR MITE


Notoedres sp. Dorsal view


of female. Taken from

squirrel.

ON OTHER

FOUND





Cytodites nudus (Vizioli). Ventral view of male.



Cheyletiella parasitivorax (Megnin). Dorsal view of

## RABBIT FUR MITE

# AIR-SAC MITE

### Ornithonyssus sylviarum (C. and F.). Left, dorsal view of female. Right, ventral view of female.

Pneumonyssus caninum (C. and R.).

Macrocheles muscaedomesticae (Sco-

poli). Ventral view of female.

HOUSE FLY MITE

I.eft, dorsal view of female. Right,

ventral view of female.

DOG NASAL MITE

## NORTHERN FOWL MITE



### PHOTOMICROGRAPHS

FEMALE

MALE



